

Amendments in the Claims

Please amend Claims 1-7, 12, 14, 20 and 23 as follows:

1. (Currently amended) A method of providing the location of a second mobile unit to a first mobile unit, said method comprising:

receiving from said first mobile unit a first packet including a current location of said first mobile unit;

receiving from said second mobile unit a second packet including a current location of said second mobile unit;

storing said current locations in a database;

receiving a request from said first mobile unit specifying a condition based on said current location of said first mobile unit or a future location of said first mobile unit; and

transmitting a data package to said first mobile unit in response to a said request from said first mobile unit upon satisfaction of said condition, wherein said data package comprises said current location of said second mobile unit retrieved from said database.

2. (Currently amended) The method of claim 1, wherein said receiving and said storing of current locations are repeated at a regular time interval.

3. (Currently amended) ~~The method of claim 1~~ A method comprising:

receiving from said first mobile unit a first packet including a current location of said first mobile unit, said first packet further providing at least one of:

personal information about a first user, said first user being a user of

said first mobile unit; and

an announcement; and

~~a request for information concerning the current location of said second mobile unit;~~

receiving from said second mobile unit a second packet including a current location of said second mobile unit;

storing said current locations in a database; and

transmitting a data package in response to a said request from said first mobile unit, wherein said data package.

4. (Currently amended) The method of claim 3 1, wherein ~~said first packet further provides said personal information and~~ said data package comprises a list of mobile units used by users having similar personal information as said first user.

5. (Currently amended) The method of claim 3 1, wherein said first packet further provides an announcement and a list of recipients, and wherein said data package comprises:

said announcement; and

a location stamp showing the location of said first mobile unit indicated by said first packet.

6. (Currently amended) The method of claim 1, wherein said first packet is superimposed with a said request ~~for the current location of said second mobile unit~~, and wherein, prior to said transmitting, said method further comprises:

obtaining the current location of said second mobile unit from said database; and  
creating said data package with said current location of said second mobile unit.

7. (Currently amended) The method of claim 13, wherein said ~~first packet~~  
~~comprises a request~~ comprises a request for a notification when said second mobile unit  
arrives at a reference point, and wherein, prior to said transmitting, said method further  
comprises:

calculating a distance between said second mobile unit and said reference  
point; and

including a notification to said data package when said distance is  
approximately zero.

8. (Original) The method of claim 3, wherein said personal information comprises  
at least one of:

name of said first user;

telephone number of said first user;

address of said first user;

e-mail address of said first user; and

hobbies of said first user.

9. (Original) The method of claim 1, wherein said receiving and said transmitting  
are done through a data network.

10. (Original) The method of claim 9, wherein said data network comprises the Internet.

11. (Original) The method of claim 9, wherein said data network comprises a wireless communication network, said wireless communication network being selected from a group consisting of CDPD, CDMA, GSM, iDEN, and AMPS.

12. (Currently amended) The method of claim 13, ~~further comprising excluding~~ wherein said transmitting a data package is carried out based on the satisfaction of the condition that said second mobile unit has not requested that said first mobile unit be excluded from a group of potential recipients of said data package ~~if so requested by said second mobile unit.~~

13. (Original) The method of claim 7 wherein said notification comprises at least one of:

sound;

flashing light;

text; and

graphics.

14. (Currently amended) An apparatus for tracking the location of a second mobile unit from a first mobile unit, said apparatus comprising:

a processing station that receives location data from said first and second mobile units;

a database of said location data connected to said processing station; and

a data network through which packets are sent between said processing station and said first and said second mobile units, wherein said packets comprise a current location of said second mobile unit being sent from said processing station to said first mobile unit in response to a request from said first mobile unit, upon satisfaction of a search criterion specified in said request.

15. (Original) The apparatus of method 14, further comprising a map storage connected to said processing station.

16. (Canceled).

17. (Previously amended) The apparatus of method 14, wherein said packets comprise a current location of said first mobile unit and a current location of said second mobile units being sent from said first and second mobile units, respectively, to said processing station at regular time interval.

18. (Canceled).

19. (Previously amended) The apparatus of method 14, wherein said data network comprises the Internet.

20. (Currently amended) A method of providing the current location of a second mobile unit to a first mobile unit, said method comprising:

said first mobile unit transmitting a first packet to a service provider computer,  
said first packet indicating the current location of said first mobile unit;

said second mobile unit transmitting a second packet to said service provider

computer, said second signal indicating the current location of said second mobile unit;

said service provider computer receiving said first and second signals and storing said current locations of said first and said second mobile units in a database;

C1  
contd

said service provider computer receiving from said first mobile unit a request including a condition based upon said current location of said first mobile unit or a future location of said first mobile unit, and retrieving said current location of said second mobile unit from said database in response to a request from said first mobile unit; and

said service provider computer, upon satisfaction of said condition, transmitting said current location of said second mobile unit to said first mobile unit.

21. (Original) The method of claim 20, wherein said transmitting is done through the Internet and a data network, said data network selected from a group consisting of CDPD, CDMA, GSM, iDEN, and AMPS.

22. (Original) The method of claim 20, wherein said request comprises a request to be notified when said second mobile unit arrives at a reference point, said method further comprising:

said service provider computer calculating the distance between said current location of said second mobile unit and said reference point, and

said service provider computer sending a notification to said first mobile unit when said distance is approximately zero.

23. (Currently amended) A system, comprising:

a first mobile unit and second mobile unit connected to a data network; and

a processing station connected to said data network and receiving current locations over said data network from said first and second mobile units, the processing station connected to a database storing said current locations of said first and second mobile units and, upon request from the first mobile unit and upon satisfaction of a condition based on said current location or a future location of said first mobile unit, providing the first mobile unit the stored current location of the second mobile unit.

24. (Original) The system of claim 23 wherein each of said first and second mobile units comprises:

a GPS receiver for receiving GPS code sequences;

a processor that converts said GPS code sequences to location data;

a memory containing conversion data for converting said GPS code sequences to location data; and

a wireless modem connecting said first and said second mobile unit to said data network.

25. (Original) The system of claim 24 wherein said conversion data comprises:

preliminary location data; and

correction factors.

26. (Original) The system of claim 23, each of said first and second mobile units further comprising a user interface device connected to each of said first and second mobile

units, said user interface device selected from a group consisting of personal digital assistant, laptop, wireless phone, and pager.

27. (Original) The system of claim 26, said user interface conveying at least one of:

sound;

flashing light;

text; and

graphics.

28. (Original) The system of claim 23, wherein said data network comprises the Internet.

29. (Original) The system of claim 23, wherein said data network comprises a wireless communication network selected from a group consisting of CDPD, CDMA, GSM, 15 AMPS, and iDEN.

30. (Original) The system of claim 23, wherein said database comprises:

a storage for personal information of users;

a map storage; and

a storage for the current locations of said first and second mobile units.

31. (Original) The system of claim 24, wherein each of said first and second mobile units comprises a plurality of mobile units.